CURRICULUM VITAE

JAMES MERRITT DOWNEY

BRIEF CHRONOLOGY OF TRAINING AND EMPLOYMENT:

1967 Bachelor of Science in Biology from Manchester College , North Manchester , Indiana .
1969 Masters of Science in Physiology from University of Illinois , Urbana , Illinois .
1970 Research Assistant, Marine Biological Laboratory, Woods Hole, Mass. (Summer).
1971 Doctor of Philosophy, University of Illinois , Urbana , Illinois .
1971-1972 Research Fellow, Peter Bent Brigham Hospital, Boston, Mass. - Harvard Medical School
1972-1975 Assistant Professor, Department of Physiology, University of South Florida, College of Medicine.
1975 Visiting Assistant Professor of Physiology, Southwestern Medical School , Dallas , Texas .
1975-1980 Associate Professor, Department of Physiology, University of South Alabama, Mobile, Alabama
1980-present Full Professor, Department of Physiology, University of South Alabama, Mobile, Alabama
1981 - 1988 Visiting Scientist, The Rayne Institute, St. Thomas' Hospital, London.
1988 - 19

PROFESSIONAL SOCIETIES:

Pyrophosphate in contused myocardium. Journal of Nuclear Medicine 18:1171, 1977.

22. Trimble, J. and J.M. Downey. Contribution of myocardial contractility to myocardial perfusion. Am. J. Physiol. 236:H121-H126, 1979.

23. Downey , J.M., R.W. Chagrasulis, and V. Hemphill. Quantitative study of intramyocardial compression in the fibrillating heart. Am. J. Physiol.

237:H191-H196, 1979.

24. Wilkerson, R.D., and J.M. Downey. Ventricular arrhythmias resulting from coronary occlusion in closed chest dog. J. Pharmacol. Techniques 1:39-44,1978.

25. Downey , J.M. Sample the 6100 Killobaud, December:54-61, 1979.

26. Goodlett, M., K. Dowling and J.M. Downey. The failure of hydrogen peroxide to improve function in ischemically-depressed myocardium. European J.Pharm. 60:257-260, 1979.

27. Goodlett, M., K. Dowling, L.J. Eddy, and J.M. Downey. The direct metabolic effects of isoproterenol and propranolol in ischemic myocardium of the dog. Am. J. Physiol. 239:H469

pp. 45-48, 1983.

37. Yellon, D.M., D.J. Hearse, M.P. Maxwell, D.E. Chambers, and J.M. Downey. Sustained limitation of myocardial necrosis 24 hours after coronary artery occlusion: Verapamil infusion in dogs with small infarcts. Am. J. Cardiol. 51:1409-1413, 1983.

38. Lee, J., J.M. Downey, D.E. Chambers, and S. Akizuki. The role of vascular capacitance in the coronary arteries. Circ. Res 55:751-762, 1984.

39. Yoshida, S., J.M. Downey, D.E. Friedman, F.R., Chambers, D.J. Hearse, and D.M. Yellon. Nifedipine limits infarct size in closed chest coronary embolized dogs. Basic Res.Cardiology 80:76-87, 1985.

40. Downey , J.M., D.J. Hearse, S. Yoshida, M.P. Maxwell, and D.M. Yellon. Verapamil and nifedipine limit infarct size in the dog. Advances in myocardiology N.S. Dhalla and D.J. Hearse, Ed., Plenum Press, London 529-543, 1985.

41. Yellon, D.M., M.P. Maxwell, D.J. Hearse, S. Yoshida, L.J. Eddy, and J.M. Downey. Infarct size limitation: Real or artifactual. Studies with Flurbiprofen using a reperfusion model. Advances in Myocardiology N.S. Dhalla and D.J. Hearse, Ed., Plenum Press, London , 1985.

42. Gardner , T.J., J.R. Stewart, A.S. Casale, J.M. Downey, and D.E. Chambers. Reduction of myocardial ischemic injury by free radical scavengers. Surgery 94:423-427, 1983.

43. Chang, C., J. Vargese, J. Downey, and S. Bloom. Magnesium deficiency and vulnerability to myocardial infarction. J. Am. Col. Cardiology 5:280-289, 1985.

44. Downey , J.M., D.J. Hearse, D.M. Yellon, and A.S. Manning. Xanthine oxidase as a source of free radicals in myocardial ischemia. In: Pathobiology of Cardiovascular Injury H.L. Stone and W.B. Weglicki, Editors, Nijhoff, Boston , 1985.

45. Chambers, D.E., D.A. Parks, G. Patterson, R. Roy, J. McCord, S. Yoshida, L.F. Parmley, and J.M. Downey. Xanthine oxidase as a source of free radical damage in myocardial ischemia. J. Mol. Cell Cardiol. 17:145-152,1985.

46. Downey , J.M. Letter to the Editor. Circ. Res. 52:614-615, 1983.

47. Bulkley, G.B., W.A. Womack, J.M. Downey, P.R. Kvietys, and D.N. Granger. Efficiency of collateral blood vessels in the small bowel. Am. J. Physiol. 244:G228-G235, 1985.

48. Kudoh, Y., M.P. Maxwell, D.J. Hearse, J.M. Downey, and D.M. Yellon. Inability of metaprolol to achieve a sustained limitation of infarct size 24 hrs. after coronary embolization in the closed chest dog. J. Cardiovasc. Pharm.6:1201-1209, 1984.

49. Downey , J.M. and D.M. Yellon. Drugs to limit infarcts: The status in the lab. Cardio 2(6): 34-37, 1985.

50. Yellon, D.M., D.J. Hearse and J.M. Downey. Myocardial salvage by pharmacological interventions. 10 Phar

9th International Congress of Pharmacology Proceedings, MacMillan Press, London , 3:251-256, 1984.

51. Yoshida, S., S. Akizuki and J.M. Downey. Discrepancy between microsphere and diffusible tracer estimates of perfusion to ischemic myocardium during retrograde flow diversion. Am. J. Physiol. 249:H244-H264,1985.

52. Akizuki, S., S. Yoshida, D.E. Chambers, L.J. Eddy, L.F. Parmley, D.M. Yellon, and J.M. Downey. lowa2 44.2n

source of free radicals in ischemic rat heart but not in the rabbit heart. J. Mol. Cell.Cardiol. 19:1053-1060, 1987.

65. Miura, T., J.M. Downey, D. Hotta, M. Inoue, S. Ogawa , S. Yoshida, and O. Iimura. Apparent Limitation of Myocardial Infarct Size by Superoxide Dismutase and Catalase was Lost During 3 Day Reperfusion in a Rabbit Ischemia/Reperfusion Model. In: Microcirculation, M. Tsuchiya et al ., Eds.,Elsevier Science Publishers, Vol. 1, 1987, pp. 687-689.

66. Miura, T., D.M. Yellon, J. Kingma, and J.M. Downey. Protection afforded by allopurinol in the first 24 hours of coronary occlusion is diminished after 48 hours. Free Radicals in Biology and Medicine 4:25-30, 1988.

67. Miura, T., S. Yoshida , O. Iimura, and J.M. Downey. Dobutamine modifies infarct size through supply/demand balance. Am. J. Physiol. 23:H855,1988.

68. Miura, T. and J.M. Downey. Collateral perfusion of ischemic myocardium is inversely related to the size of the ischemic zone. Basic Res.Cardiol. 83:128-136, 1988.

69. Miura, T. and J.M. Downey. The percentage of the ischemic zone infarcting following permanent coronary occlusion is independent of ischemic zone size. Japan Heart Journal 29:359-366, 1988.

70. Downey , J.M., D.J. Hearse, and D.M. Yellon. The role of xanthine oxidase during myocardial ischemic in several species including Man. J. Mol. Cell. Cardiol. 20(Supp II):55-63, 1988.

71.

1989

79. Downey , J.M. Free radicals and their involvement during long term myocardial ischemia and reperfusion. Ann. Rev. Physiol. 52:487-504, 1990

80. Van Winkle, D.M., T. Matsuki, N.M. Gad, M.C. Jordan, J.M. Downey. Left ventricular unloading during reperfusion does not limit infarct size. Circulation 81:1374-1379, 1990

81. Matsuki, T., C. Shirato, M.V. Cohen, J.M. Downey. Oxypurinol limits infarct size in closed chest dogs without pretreatment. Can. J. Cardiol. 6:123-129, 1990

82. Ooiwa, H., T. Miura, J.M. Downey, T. Matsuki, Y. Shizukuda, T. Adachi, A. Tsuchida, T. Iwamoto, T. Owawa and O. Iimura. The effect of inotropic dose of dobutamine during reperfusion on myocardial infarct size. Jap. Circ. J. 53:1511-1520, 1989

83. Matsuki, T. M.V. Cohen and J.M. Downey. Free radical scavengers preserve wall motion in the xanthine oxidaseap. Circ. J. 53:1511

agents in a rabbit model of post-ischemic myocardial infarction. J. Cardiovasc. Pharm. 17:761-767, 1991

93. Van Winkle, D.M., J. Thornton, D.M. Downey, J.M. Downey. The natural history of preconditioning. Cardioprotection depends on duration of transient ischemia and time to subsequent ischemia. Coronary Artery Disease 2:613-619, 1991

94. Cohen, M.V., G.S. Liu, J.M. Downey. Preconditioning causes improved wall motion as well as smaller infarcts after transient coronary occlusion in rabbits. Circulation 84:341-349, 1990

95. Liu, G. S., J. Thornton, D.M. Van Winkle, A.W.H. Stanley, R.A. Olsson, J.M. Downey Protection against infarction afforded by preconditioning is mediated by A_1 adenosine receptors in rabbit heart. Circulation 84:350-356, 1991 Times Cited: 999

96. Turrens, J.F., J. Thornton, M. L. Barnard, S. Snyder, G. Liu, and J.M. Downey. Protection from reperfusion injury by preconditioning hearts does not involve increased antioxidant defenses. Am J. Physiol 262:H585-H589, 1992

97. Thornton , J,D., Liu, G.S., Olsson, R.A, Downey , J.M. Intravenous pretreatment with A_1-selective adenosine analogs protects the heart against infarction. Circulation 85:659-665, 1992 Times Cited: 384

98. Parmley, L.F., A.G. Mufti, J.M. Downey. Allopurinol therapy of ischemic heart disease with infarct extension. Can J. Cardiol. 8:280-286, 1992

99. Liu, G.S., A.W.H. Stanley, J.M. Downey. Cyclooxygenase products are not involved the protection against

148. Downey , J.M., M.V. Cohen. Preconditioning: Markers vs epiphenomenon. Basic Res Cardiol 91:35-37, 1996

149. Goto, M., M.V. Cohen, D.G.L. VanWylen, J.M. Downey. Attenuated purine production during subsequent ischemia in preconditioned rabbit myocardium is unrelated to the mechanism of protection. J Mol Cell Cardiol. 28:447-454, 1996

150. Cohen, M.V., J.M. Downey. Myocardial preconditioning promises to be a novel approach to the treatment of ischemic heart disease. Ann Rev Medicine 47:21-29, 1996

151. Ardell, J.L., X-M Yang, B.B. Barron, J.M. Downey, M.V. Cohen. Endogenous myocardial norepinephrine is not essential for ischemic preconditioning in rabbit heart. Am J Physiol 270: H1078-H1084, 1996

152 Wang, P., K.P. Gallagher, J.M. Downey, M.V. Cohen. Pretreatment with endothelin-1 mimics ischemic preconditioning against infarction in isolated rabbit heart. J Mol Cell Cardiol 28:579-588, 1996

153 Yang X-M, G.F. Baxter, R.J. Heads, D.M. Yellon, J.M. Downey, M.V. Cohen. Infarct limitation of the second window of protection in a conscious rabbit model. Cardiovasc Res 31:777-783, 1996

154 Liu, G.S., K.A. Jacobson, J.M. Downey. An irreversible A1-selective agonist preconditions rabbit heart. Canadian J Cardiol 12:517-521, 1996

155 Shattok, M.J., C.S. Lawson, D.J. Hearse, J.M. Downey. Electrophysiological charactoristics of repetitive ischemic preconditioning in the pig heart. J Mol Cell Cardiol 28:1339-1347, 1996

156. Weinbrenner, C.,P. Wang, J.M.Downey. Loss of Glycogen during preconditioning is not a prerequisite for protection of the rabbit heart. Basic Res Cardiol 91:374-381,1996

157. Cohen, M.V., Y.Liu, G.S. Liu, P.Wang, C. Weinbrenner, G.A.Cordis, D.K. Das, J.M. Downey. Phospholipase D plays a role in ischemic preconditioning in rabbit heart. Circulation 94:1713-1718, 1996

158. Wang, P., J.M. Downey, M.V. Cohen. Mast Cell degranulation does not contribute to ischemic preconditioning in isolated rabbit hearts. Basic Res Cardiol 91:458-467, 1996

159. Baines, C.P., M. Goto J.M. Downey. Oxygen radicals released during ischemic preconditioning contribute to cardioprotection in rabbit myocardium J Mol Cell Cardiol 29:207-216, 1997 Times Cited: 174

160. Cope, D.K., Impastato, W.K., Cohen, M.V., and Downey, J.M.: Volatile Anesthetics Protect the Ischemic Rabbit Myocardium from Infarction. Anesthesiology 86:699-709, 1997. Times Cited: 143

161. Yang, X.-M., Sato, H., Downey, J.M., and Cohen, M.V.: Protection of Ischemic Preconditioning Is Dependent Upon a Critical Timing Sequence of Protein Kinase C Activation. J Mol Cell Cardiol. 29:991-999, 1997.

162. Sato, H., Miki, T., Vallabhapurapu, R.P., Wang, P., Liu, G.-S., Cohen, M.V., and Downey, J.M.: The Mechanism of Protection from 5-(N-ethyl-N-isopropyl)-amiloride Differs from that of Ischemic Preconditioning in

Rabbit Heart. Basic Research in Cardiology 92:339-350, 1997

163. Cohen, M.V., Thornton, J.D., Thornton, C.S., Sato, H., Miki, T., and Downey, J.M.: Intravenous Co-infusion of Adenosine and Norepinephrine Preconditions the Heart Without Adverse Hemodynamic Effects. Journal of Thoracic and Cardiovascular Surgery. 114:236-242, 1997.

164. Cohen, M.V., Yang, X-M, Downey, J.M. Attenuation of S-T segment during repetitive coronary occlusions truly reflects the protection of ischemic preconditioning and is not an epiphenomenon. Basic Res Cardiol 92:426-434, 1997

165. Critz, S.D., Liu, G.-S., Chujo, M., Downey, J.M. Pinacidil but not nicorandil opens ATP-sensitive K+ channels and protects against simulated ischemia in rabbit myocytes.J Mol Cell Cardiol 29: 1123-1130, 1997

166. Weinbrenner, C., Cohen, M.V., and Downey, J.M.: Phosphorylation of Tyrosine 182 of p38 Mitogen-activated Protein Kinase Correlates with the Protection of Preconditioning in the Rabbit Heart. J Mol Cell Cardiol. 29:2383-2391, 1997. Times Cited: 143

167. Baines, C.P., L. Wang, M.V. Cohen and J.M. Downey. Protein tyrosine kinase is downstream of protein kinase C for ischemic preconditioning's anti-infarct effect in rabbit heart. J Mol Cell Cardiol 30: 383-392,1998 Times Cited: 106

168. Downey , J.M., Cohen, M.V. Arguments in favor of protein kinase C playing an important role in ischemic preconditioning Basic Res Cardiol 92 (suppl 2): 37-39, 1997

169. Armstrong, S.C., Kao, R., Gao, W., Shivell, L.C., Downey, J.M., Honkanen, R.E., Ganote, C.E. Comparison of in vivo preconditioning responses of isolated pig and rabbit cardiomyocytes: effects of a protein phosphatase inhibitor, fostriecin. J Mol Cell Cardiol 29:3009-3024, 1997

170. Hashimi, M.W., Thornton, J.D., Downey, J.M., and Cohen, M.V.: Loss of Myocardial Protection From Ischemic Preconditioning Following Chronic Exposure to R(-)-N^6-(2-Phenylisopropyl) Adenosine Is Related to Defect at the Adenosine A_1Receptor. Molecular and Cellular Biochemistry 186: 19-25, 1998.

171. Miki, T., Liu, G.S., Cohen, M.V., and Downey, J.M.: Mild Hypothermia Reduces Infarct Size in the Beating Rabbit Heart: A Practical Intervention for Acute Myocardial Infarction? Basic Research in Cardiology 93: 372-383, 1998.

172. Miki, T., Cohen, M.V., and Downey, J.M.: Opioid Receptor Contributes to Ischemic Preconditioning Through Protein Kinase C Activation in Rabbits. Molecular and Cellular Biochemistry 186: 3-12, 1998. Times Cited: 89

173**.** Weinbrenner, C., Baines, C.P., Liu, G-S, Armstrong, S.C., Ganote C.E., Honkanen, R.E., Cohen M.V., Downey, J.M. Fostriecin, an inhibitor of protein phosphatase 2A, limits myocardial infarct size even when administered after onset of ischemia. Circulation 98:899-905, 1998

174. Weinbrenner, C., Liu, G.S., Downey, J.M., and Cohen, M.V.: Cyclosporine A limits myocardial infarct size

K(ATP) channels. Circ Res. 89:273-8, 2001 Times Cited: 99

202. Xu Z, Downey 733,J C3 6 6MA tAMBT/TT0 1 Tf12 0 0 12 207.65 706.92 Tm(8, 2001)TjETQq28.535555.1 8

acetylcholine to trigger generation of oxygen free radicals. Cardiovasc Res. 58:196-202, 2003

216. Oldenburg O, Critz SD, Cohen MV, Downey JM. Acetylcholine-induced production of reactive oxygen species in adult rabbit ventricular myocytes is dependent on phosphatidylinositol 3- and Src-kinase activation and mitochondrial K(ATP) channel opening. J Mol Cell Cardiol. 35: 653-660, 2003

217. Oldenburg O, Cohen MV, Downey JM. Mitochondrial K(ATP) channels in preconditioning. J Mol Cell Cardiol. 35: 569-75, 2003

218. Zhang SJ, Yang XM, Liu GS, Cohen MV, Pemberton K, Downey JM. CGX-1051, a peptide from Conus snail venom, attenuates infarction in rabbit hearts when administered at reperfusion. J Cardiovasc Pharmacol. 42:764-71. 2003

219. Xu Z, Downey JM, Cohen MV. Timing and Duration of Administration Are Crucial for Antiinfarct Effect of AMP 579 Infused at Reperfusion in Rabbit Heart.
Heart Dis. 5:368-71, 2003

220. Yellon DM, Downey JM. Preconditioning the myocardium: from cellular physiology to clinical cardiology. Physiol Rev. 83:1113-51. 2003 Times Cited: 90

221. Oldenburg O, Yang XM, Krieg T, Garlid KD, Cohen MV, Grover GJ, Downey JM. P1075 opens mitochondrial K(ATP) channels and generates reactive oxygen species resulting in cardioprotection of rabbit hearts. J Mol Cell Cardiol. 35:1035-42, 2003

222. Oldenburg O, Qin Q, Krieg T, Yang XM, Philipp S, Critz SD, Cohen MV, Downey JM. Bradykinin induces mitochondrial ROS generation via NO, cGMP, PKG , and mKATP channel opening and leads to cardioprotection. Am J Physiol Heart Circ Physiol. 286:H468-76, 2004

223. Krieg T, Cohen MV, Downey JM. Mitochondria and their role in preconditioning's trigger phase. Basic Res Cardiol. 98:228-34, 2003

224. Krenz M, Cohen MV, Downey JM. Protective and anti-protective effects of acute ethanol exposure in myocardial ischemia/reperfusion. Pathophysiology. 10:113-119, 2004

225. Yang XM, Krieg T, Cui L, Downey JM, Cohen MV. NECA and bradykinin at reperfusion reduce infarction in rabbit hearts by signaling through PI3K, ERK, and NO. J Mol Cell Cardiol. 36: 411-21, 2004

226. Krieg T, Cui L, Qin Q, Cohen MV, Downey JM. Mitochondrial ROS generation following acetylcholine-induced EGF receptor transactivation requires metalloproteinase cleavage of proHB-EGF. J Mol Cell Cardiol. 36:435-43, 2004

227. Krieg T, Yang XM, Downey JM, Schaffer SW, Cohen MV. Augmented taurine release is not the mechanism of ischemic preconditioning's cardioprotection. Amino Acids. 3:263-6. 2004

228. Qin Q, Yang XM, Cui L, Critz SD, Cohen MV, Browner N, Lincoln TM, Downey JM. Exogenous NO triggers preconditioning by a cGMP- and mitoKATP-dependent mechanism. Am J Physiol Heart Circ Physiol.

287:H712-8 2004

229. Krieg T, Qin Q, Philipp S, Alexeyev MF, Cohen MV, Downey JM. Acetylcholine and bradykinin trigger preconditioning in the heart through a pathway that includes Akt and NOS. Am J Physiol Heart Circ Physiol.287:H2606-11, 2004

230. Yang XM, Proctor JB, Cui L, Krieg T, Downey JM, Cohen MV. Multiple, brief coronary occlusions during early reperfusion protect rabbit hearts by targeting cell signaling pathways. J Am Coll Cardiol. 44:1103-10, 2004

231. Krieg T, Philipp S, Cui L, Dostmann WR, Downey JM, Cohen MV. Peptide blockers of PKG inhibit ROS generation by acetylcholine and bradykinin in cardiomyocytes but fail to block protection in the whole heart. Am J Physiol Heart Circ Physiol. 288:H1976-81. 2005

232. Yang XM, Philipp S, Downey JM, Cohen MV. Postconditioning's protection is not dependent on circulating blood factors or cells but involves adenosine receptors and requires PI3-kinase and guanylyl cyclase activation. Basic Res Cardiol. 100(1):57-63, 2005

233. Downey JM, Cohen MV. We think we see a pattern emerging here (Editorial). Circulation. Jan 18;111(2):120-1, 2005

234. Critz SD, Cohen MV, Downey JM. Mechanisms of acetylcholine- and bradykinin-induced preconditioning. Vascul Pharmacol. 42:201-9, 2005

235. Costa AD, Garlid KD, West IC, Lincoln TM, Downey JM, Cohen MV, Critz SD. Protein kinase G transmits the cardioprotective signal from cytosol to mitochondria. Circ Res. 97:329-36. 2005

236. Solenkova NV, Solodushko V, Cohen MV, Downey JM. Endogenous adenosine protects the preconditioned heart during the early minutes of reperfusion by activating Akt. Am J Physiol Heart Circ Physiol. Am J Physiol Heart Circ Physiol. 290:H441-9. 2006

237. Philipp S, Cui L, Ludolph B, Kelm M, Schulz R, Cohen MV, Downey JM. Desferoxamine and ethyl-3,4 dihydroxybenzoate protect myocardium by activating NOS and generating mitochondrial ROS . Am J Physiol Heart Circ Physiol. 290:H450-7. 2006

238. Downey JM, Cohen MV. Unraveling the mysteries of classical preconditioning.
J Mol Cell Cardiol. 39:845-8. 2005

239. Philipp S, Critz SD, Cui L, Solodushko V, Cohen MV, Downey JM. Localizing extracellular signal-regulated kinase (ERK) in pharmacological preconditioning's trigger pathway. Basic Res Cardiol. 101:159-67. 2006

240. Xu Z, Mueller RA, Park SS, Boysen PG, Cohen MV, Downey JM. Cardioprotection with adenosine A2 receptor activation at reperfusion. J Cardiovasc Pharmacol. 46:794-802. 2005

241. Cohen MV, Yang XM, Downey JM. Nitric oxide is a preconditioning mimetic and cardioprotectant and is the basis of many available infarct-sparing strategies. Cardiovasc Res. 70:231-9. 2006

242. Downey JM, Cohen MV. A really radical observation (Editorial) Basic Res Cardiol. 101:190-1. 2006

243. Philipp S, Yang XM, Cui L, Davis AM, Downey JM, Cohen MV. Postconditioning protects rabbit hearts through a protein kinase C-adenosine A2b receptor cascade. Cardiovasc Res. 70:308-14. 2006

244. Cohen MV, Downey JM. AMISTAD trials: possible reasons for lack of success.(Letter to the editor) J Am Coll Cardiol. 47:1236. 2006

245. Forster K, Paul I, Solenkova N, Staudt A, Cohen MV, Downey JM, Felix SB, Krieg T. NECA at reperfusion limits infarction and inhibits formation of the mitochondrial permeability transition pore by activating p70S6 kinase. Basic Res Cardiol.101:319-26. 2006

246. Yang XM, Philipp S, Downey JM, Cohen MV. Atrial natriuretic peptide administered just prior to reperfusion limits infarction in rabbit hearts. Basic Res Cardiol. 101:311-8. 2006

reperfusion. J Mol Cell Cardiol 43:262-71. 2007

257. Tissier R, Cohen MV, Downey JM. Protecting the acutely ischemic myocardium beyond reperfusion therapies: Are we any closer to realizing the dream of infarct size elimination? Archives de Maladies du Coer et des Vaisseaux

269. Downey JM, Cohen MV. O-linked beta-N-acetylglucosamine: a new piece of the cardioprotection puzzle? Circ Res.104:7-8. 2009

270. Tissier R, Couvreur N, Ghaleh B, Bruneval P, Lidouren F, Morin D, Zini R, Bize A, Chenoune M, Belair MF, Mandet C, Douheret M, Dubois-Rande JL, Parker JC, Cohen MV, Downey JM, Berdeaux A. Rapid cooling preserves the ischaemic myocardium against mitochondrial damage and left ventricular dysfunction. Cardiovasc Res. 83:345-53. 2009

271. Cohen MV, Downey JM. Adenosine at reperfusion: a conundrum ready to be resolved. J Am Coll Cardiol. 53:718-9. 2009

272. Cohen MV, Downey JM. Modulation of receptor sensitivity: possible therapeutic target? Br J Pharmacol. 156:899-900. 2009

273. Krieg T, Liu Y, Rütz T, Methner C, Yang XM, Dost T, Felix SB, Stasch JP, Cohen MV, Downey JM. BAY 58-2667, a nitric oxide-independent guanylyl cyclase activator, pharmacologically post-conditions rabbit and rat hearts. Eur Heart J.30:1607-13. 2009

274. Downey JM, Cohen MV. Why do we still not have cardioprotective drugs? Circ J. 73:1171-7. 2009

275. 637.66 reW*nBT/55. 6dneaüt:u7BiTQq (n 3s7o1 637.17 ÞBDCu7BiTETEMC /Lbl ⁄MCID nBT/TT0 1 Tf12 0

308. Kloner RA, Brown DA, Csete M, Dai W, Downey JM, Gottlieb RA, Hale SL, Shi J. New and revisited approaches to preserving the reperfused myocardium. Nat Rev Cardiol. 2017 Nov;14(11):679-693.

309. Cohen MV, Downey JM. The impact of irreproducibility and competing protection from P2Y12 antagonists on the discovery of cardioprotective interventions. Basic Res Cardiol. 2017 Sep 26;112(6):64.

310. Nelson DA, Leavesley SJ, Zirlott CD, Yang XM, Downey JM. Feasibility of using thermal response to Ka band millimeter wave heating to assess skin blood flow. Physiol Meas. 2018, 39:045001. doi: 10.1088/1361-6579/aab4d4.

BOOKS AND BOOK CHAPTERS

1. Munch, Douglas F., and James M. Downey. Regulation of Myocardial Contractility. In: Cardiac Pharmacology R.D. Wilkerson, ed., Academic Press, New York, 1981.

2. Downey, James M. and Douglas F. Munch. Evaluation of Drug Effects on Coronary Blood Flow and Oxyge Consumption In: Cardiac Pharmacology, R.D. Wilkerson, ed., Academic Press, New York, 1981.

3. Downey, James M. The Extravascular Coronary Resistance In: The Coronary Artery, Stanley Kalsner, ed., Croom-Helm, London, 1982.

4. Downey, James, and Steven Rogers. Interfacing the PET Computer, Howard Sams, Indianapolis, 1981.

5. Downey, James M. and Don Rindsburg. Interfacing Projects for the Sinclair Computer, Prentice-Hall, Englewood Cliffs, NJ (1983).

6. Downey, James M., D. Rindsburg, and W. Ischerwood. Easy Interfacing Projects for the VIC 20, Prentice-Hall, Englewood Cliffs, NJ, 1984.

7. Downey, James M., D. Rindsburg, and W. Ischerwood. Easy Interfacing Projects for the Commodore 64, Prentice_Hall, Englewood Cliffs, NJ, 1984.

8. Downey, James M. Why the endocardium? In: Therapeutic approaches to Myocardial Infarction, Hearse and Yellon, ed., Raven Press, London, 1984.

9. Miura, T., D.M. Yellon, and J.M. Downey. Myocardial Infarction. In: Physiology and Pathophysiology of the Heart, 2nd Ed. Nicholas Sperelakis, ed., pp 955-974, Kluwer Academic Publishers, Norwell, MA, 1989.

10. Downey, J.M. Extravascular coronary resistance. In: Physiology and Pathophysiology of the Heart, 2nd Ed. Nicholas Sperlakis, ed., pp 939-955, Kluwer Academic Publishers, Norwell, MA, 1989.

11. Hearse, D.J., A.S. Manning, J.M. Downey, and D.M. Yellon. Allopurinol,xanthine oxidase and myocardial injury. In: Superoxide and Superoxide Dismutase in Chemistry, Biology, and Medicine, Giuseppe Rotilio, ed., Elsevier, New York,1986.

12. Downey, J.M., L.J. Eddy, C. Shirato, P. Molina, and M. Molina. Xanthine oxidase is an unlikely source of free

radicals in the ischemic human heart. In: Oxygen Radicals in the Pathophysiology of Heart Disease, Pawan Singal, ed., Martinus Nijhoff, NY (1988).

13. Hearse, D.J., A.S. Manning, J.M. Downey, D.M. Yellon. Oxygen derived free radicals and myocardial injury. A critical role for xanthine oxidase? in Oxygen Free Radicals in Shock, Karger: Basil 1986.

14. Downey, J.M. The extravascular coronary resistance. In: Coronary Circulation from Basic Mechanisms to Clinical Implications, J.A.E. Spaan, A.V.G.Brushke, and A.C. Gittenberger, eds., Marinus Nijhoff, NY, CIP

Failure. M Hori, Y. Maruyama, R.S. Reneman, eds. Springer-Verlag, NewYork. pp 147-166, 1994

26. Downey, J.M., Liu, G.S., and Cohen, M.V.: Do Adenosine A_3 Receptors Cause Preconditioning? In Purines and Myocardial Protection. Eds. Abd-Elfattah, A.-S. A., and Wechsler, A.S. Kluwer Academic Publishers, Boston, 1996, pp. 447-458.

27. Downey, J.M., and Cohen, M.V.: Mechanisms of Preconditioning: Correlates and Epiphenomena. In Ischaemia: Preconditioning and Adaptation. Eds Marber, M.S., and Yellon, D.M. Bios Scientific Publishers, Oxford, 1996, pp. 21-34.

28. Cohen, M.V., Liu, Y., and Downey, J.M.: Activation of Protein Kinase C is Critical to the Protection of Preconditioning. In Myocardial Preconditioning. Eds. Parratt, J.R., and Wainwright, C.L. R.G. Landes Co., Austin, TX, 1996, pp. 185-206.

29. Goto, M., Cohen, M.V., and Downey, J.M.: The Role of Protein Kinase C in Ischemic Preconditioning. In Myocardial Preservation, Preconditioning, and Adaptation. Annals of the New York Academy of Sciences, Vol. 793. Ed. Das, D.K. The New York Academy of Sciences, New York, 1996, pp. 177-190.

30. Liu, G.-S., Downey, J.M., and Cohen, M.V.: Adenosine, Ischemia and Preconditioning. In Purinergic Approaches in Experimental Therapeutics. Eds. Jacobson, K.A., and Jarvis, M.F. Wiley-Liss, Inc., New York, 1997, pp. 153-173.

31. Downey, J.M., and Cohen, M.V.: Signal Transduction in Ischemic Preconditioning. In Alfred Benzon Symposium 41. Munksgaard, Copenhagen, 1997, pp. 339-355.

32. Downey, J.M., and Cohen, M.V.: Signal Transduction in Ischemic Preconditioning. In Analytical and Quantitative Cardiology: From Genetics to Function. Vol 430. Eds. Sideman, S., and Beyar, R.Plenum Press, New York. 1997, pp 39-56.

33. Downey, J.M Six chapters in Essential Medical Physiology. Second Edition. Ed. Leonard R. Johnson, Lippencott-Raven, Philadelphia, 1997, pp 149-199 and 825-834.

34. Downey, J.M., and Cohen, M.V.: Preconditioning: Markers vs. epiphenomena. In: New Paradigms of Coronary Artery Disease. Eds. Heusch, G., and Schulz, R., Darmstadt: Steinkopff: Springer, New York, 1996, pp 153-155.

35 Weinbrenner, C. and Downey, J.M.,: Protein kinase C- the key enzyme in ischemic preconditioning? In Adenosine Cardioprotection and its Clinical Application. Ed. R.M Mentzer, M. Kitakaze, J.M. Downey and M. Hori. Klewer, Norwell Mass, 1997pp73-92.

36 Downey, J.M. and Cohen, M.V.: Preconditioning: Markers vs epiphenomenon. In New Paradigms of Coronary Artery Disease. Ed. G Heusch and R. Schultz. Darmstadt: SteinKopff; New York, 1996 pp 153-155.

37.Goto M, Cohen MV, Downey JM.: The role of protein kinase C in ischemic preconditioning. Ann N Y Acad Sc 1996 Sep 30;793:177-90

38. Downey, J.M. and Cohen, M.V.: The biology of preconditioning. In: Stunning, Hibernation and Preconditioning Ed. G.R. Heyndrickx, S.F. Vatner and W. Winjs. Lippincott-Raven, Philadelphia 1997. pp 105-120.

39. Myocardial ischemia and reperfusion Ed. Cohen, M.V., Downey, J.M., Gelpi, R.J. and Slezak, J. Klewer Academic Publishers, Boston 1998

40. Downey, J.M. and Cohen, M.V. Preconditioning (Ch 4) in: Myocardial Viability: A Clinical and Scientific Treatise Dilsizian V., Ed, Futura Armonk, NY 2000, pp55-75.

41. Downey, J.M. and G Heusch. Pumping and electrical activity of the heart. in: Heart Physiology and Pathophysiology N. Sperelakis, Y. Kurachi, A. Terzic, and M.V. Cohen, eds. Academic Press, New York. 2001, pp3-18

42. Downey, J.M. and G Heusch: Control of Cardiac output and its alterations during exercise and in heart failure. in: Heart Physiology and Pathophysiology N. Sperelakis, Y. Kurachi, A. Terzic, and M.V. Cohen, eds. Academic Press, New York. 2001, pp 61-69.

43. M. V. Cohen and J.M. Downey: Ischemic preconditioning: description, mechanism and significance. in: Heart Physiology and Pathophysiology N. Sperelakis, Y. Kurachi, A. Terzic, and M.V. Cohen, eds. Academic Press, New York. 2001, pp 867-886.

44. M. Krenz, M.V. Cohen and J.M. Downey: The protective and anti protective effects of ethanol in a myocardial infarct model. in Alcohol and Wine in Health and Disease S.K. Das and F. Ursini, eds. New York Academy of Science, NY 2002, pp103-114.

45. J.M. Downey and M.V. Cohen: Ischemic preconditioning. In Myocardial Ischemia: From Mechanisms to Therapeutic Potentials D.V. Cokkinos, C. Pantos, G. Heusch, and H. Tagtmeyer eds. Springer Science, New York 2006, pp 99-112.

ABSTRACTS

1. Downey, J.M., H.F. Downey, and E.S. Kirk. Effect of myocardial strains on distribution of coronary blood flow in systole. The Physiologist 13:183, 1970.

2. Demibitsky, W.P., J.M. Downey, E.S. Kirk, and Edmund H. Sonnenblick. Inhibition of right coronary blood flow by high right ventricular pressure. Circulation 44:II-158, 1971.

3. Cohn, P.F., E.S. Kirk, J.M. Downey, Edmund H.Sonnenblick, and Richard Gorlin. Autoradiographic evaluation of myocardial collateral circulation. Circulation 44:II-158, 1971.

4. Forman, R., E.S. Kirk, J.M. Downey, and E.H. Sonnenblick. Reduced subendocardial blood flow and ventricular contractile force caused by nitroglycerine. Am. J. Cardiol. 29:262, 1972.

5. Downey, J.M., B.N. Singh, D.F. Cowan, C.W. Urschel, and E.S. Kirk. Adequacy of coronary perfusion during

hemorrhagic hypotension. Fed. Proc. 31:329, 1972.

6. Snyder, R., J.M. Downey, and E.S. Kirk. The contribution of active muscle contraction to the extravascular component of coronary resistance. Presented at the American Congress of Engineering in Medicine and Biology, Bal Harbor, Florida, 1972.

7. Downey, J.M., and E.S. Kirk. Inhibition of coronary blood flow by a sluice mechanism and an estimate of the intramyocardial pressure. Physiologist 16:299, 1973.

8. Downey, J.M. Intramyocardial compression in the fibrillating heart. Physiologist 18:196, 1975.

9. Parker, P.E., H.F. Downey, J.M. Downey, and F.A. Bashour. Myocardial contractility during coronary reperfusion. Fed. Proc. 35:345, 1976.

10. Russell, R.E. and J.M. Downey. Inhibitory effect of cardiac contraction on collateral blood flow. Clin. Res. 25:7A, 1977.

11. Downey, J.M.

radical producing enzyme, xanthine oxidase reduces infarct size in the dog. Fed. Proc. 43:540, 1984.

37. Yoshida, S., S. Aki 67 /Lbl /AMCID 1 /BDC Qqht5 (e)4 (in 0 96.744pi-Gow infa6 401.:nd J55.1 .q28.56 79.704

51.

V): S-34, 1991

81.

111. Ardell, J.L., X-M Yang, J.D. Thornton, A. Swafford, M.V. Cohen, J.M. Downey. Depletion of norepinephrine by chronic surgical sympathectomy does not block protection from ischemic preconditioning. Circulation 90:I-108, 1994

112. Liu, Y., M.V. Cohen, J.M. Downey. Chelerythrine, a highly specific protein kinase C inhibitor blocks the anti-infarct effect of preconditioning in rabbit hearts. Circulation 90:I-207, 1994

113. Goto, M., Y. Liu, J.L. Ardell, M.V. Cohen, J.M. Downey. Bradykinin limits myocardial infarct size by protein kinase C activation and not by nitric oxide synthesis. Circulation 90:I-208, 1994

114. Liu, G-S, C.E. Ganote, J.M. Downey. Activation of adenosine receptors is required for protection from a direct opener of the K_{ATP} channel. Circulation 90:I-478, 1994

115. Ardell, J.L., X.-M. Yang, M.V. Cohen, J.M. Downey. Depletion of norepinephrine by reserpine increases the threshold for protection by ischemic preconditioning. FASEB Journal 9:A000, 1995

116. Liu, G.S., M.V. Cohen, J.M. Downey. Preconditioning of rabbit myocytes depends on activation of phospholipase D. Circulation 92:I-135, 1995

117. Shattock, M.J., C.S. Lawson, D.J. Hearse, J.M. Downey. Monophasic action potential and ST segment changes are indicative of preconditioning only during early ischemia in the pig heart. Circulation 92:I-390, 1995

118. W. Hashimi, X.-M. Yang, C. Lambert, J.M. Downey, M.V. Cohen. Bradykinin may be the drug of choice for preconditioning the heart in the clinical setting. Circulation 92:I-456, 1995

119. Ytrehus, K., R.S. Walsh, S.C. Richards, J.M. Downey. Hydrogen peroxide as a protective agent during reperfusion of the isolated perfused rabbit heart. J Mol Cell Cardiol., 27:A-22, 1995

120. Armstrong, S.C., G. Liu, J. Downey, C. Ganote. K^{+}_{ATP} channels and preconditioning of rabbit cardiomyocytes. J Mol Cell Cardiol. 27:A-23, 1995

121. Yang, X.-M., G.F. Baxter, D.M. Yellon, J.R. Fletcher, J.M. Downey, M.V. Cohen. Second window of protection in conscious rabbits. J Mol Cell Cardiol. 27:A-27, 1995

122. Goto, M., A. Tsuchida, Y. Liu, M.V. Cohen, J.M. Downey. Transient inhibition of glucose uptake can protect rabbit heart. J Mol Cell Cardiol. 27:A-27, 1995

123. Liu, Y., G.A. Cordis, D.K. Das, J.M. Downey, M.V. Cohen. Protein kinase C may be activated by phospholipase D rather than C in ischemic preconditioning. J Mol Cell Cardiol. 27:A-41, 1995

124. Bruton, J., M. Goto, J.M. Downey. Endogenous angiotensin II contributes to ischemic preconditioning. J Mol Cell Cardiol. 27:A-43, 1995

125. Wang, P., K. Gallagher, J.M. Downey, M.V. Cohen. Endothelin-1 limits myocardial infarction through PKC activation. J Mol Cell Cardiol. 27:A-44, 1995

126. Liu, G.S., M.V. Cohen, J.M. Downey. Phospholipase D is involved in preconditioning of rabbit myocytes. J Mol Cell Cardiol. **27:A**-44, 1995

infarct size in *in situ* rabbit hearts.

199. Krieg, T., Qin, Q., Cohen, M.V., and Downey, J.M.: Acetylcholine Activates Phosphatidylinositol 3-Kinase via Transactivation of the EGF Receptor. J Mol Cell Cardiol. 34: A36, 2002.

200. Yang, X.-M., Krieg, T., Downey, J.M., and Cohen, M.V.: NECA Limits Infarction in Rabbit Heart by Activating Adenosine A_2 Receptor and PI3-Kinase. J Mol Cell Cardiol. 34: A36, 2002.

201. Krieg, T., Qin, Q., Cohen, M.V., and Downey, J.M.: Acetylcholine and Adenosine Activate Phosphatidylinositol 3-Kinase Through Transactivation of Receptor Tyrosine Kinases in a Src-Dependent Manner. Circulation 106: II-7, 2002.

202. Oldenburg, O., Cohen, M.V., Downey, J.M.: Acetylcholine-induced Production of Reactive Oxygen Species in Adult Rabbit Myocytes Is Dependent on Phosphatidylinositol 3-Kinase Activation and Mitochondrial K_{ATP} Channel Opening. Circulation 106: II-230, 2002.

203. Qin, Q., Cohen, M.V., and Downey, J.M.: Acetylcholine But Not Adenosine Triggers Preconditioning by a Pathway Involving Src and PI3 Kinases. Circulation 106: II-314, 2002.

204. Oldenburg, O., Cohen M. V., Downey J. M. Acetylcholine-induced production of reactive oxygen species in ventricular myocytes is dependent on phosphatidylinositol 3- and Src-kinase activation, and mitochondrial KATP channel opening. Z Kardiol 92 (Suppl. I): 132, 2003

205. Oldenburg, O., Cohen, M.V., and Downey, J.M.: Acetylcholine-Induced Production of Reactive Oxygen Species in Ventricular Myocytes Is Dependent on Phosphatidylinositol 3- and Src-Kinase Activation, and Mitochondrial K_{ATP} Channel Ope[illegible] (Suppl.) 92 (SOG1):132, 2003.

206. Oldenburg, O., Cohen, M.V., and Downey, J.M.: Bradykinin Leads to Generation of Reactive Oxygen Species in Cardiomyocytes by q28.56 80.304 555.1 637.42 2.07 Ty443.71Go5 0 12 5c39se 206.5 (l KAT)3 (P)TJ

Cells and Rabbit Cardiomyocytes. J Mol Cell Cardiol.35: A-49, 2003.

213. Yang, X.-M., Oldenburg, O., Downey, J.M., and Cohen, M.V.: Ischemic Preconditioning, But Not AT_1 Blockade, Attenuates Collagen Deposition and Improves Regional Myocardial Function Following Ischemia in Rabbit Hearts. J Mol Cell Cardiol. 35: A-49, 2003.

214. Yang, X.M., Downey J.M., Cohen M.V., Multiple brief coronary occlusions during reperfusion protect rabbit hearts by activation of ERK and production of nitric oxide. Circulation 108:IV-158, 2003

215. Krieg, T., Cui, L., Cohen, M.V., and Downey, J.M.: Acetylcholine-induced EGF Receptor Transactivation Requires Metalloproteinase Cleavage of pro-HB-EGF to Generate Mitochondrial ROS. Presented American Heart Association, November 2003. Circulation 108: IV-93, 2003.

216. Krieg, T., Qin, Q., Alexeyev, M.F., Cohen, M.V., and Downey, J.M. Acetylcholine preconditions by activating Akt and NOS to generate ROS.J Mol Cell Cardiol 36:741, 2004

217. Yang, X.-M., Cui, L., Krieg, T., Downey, J.M., and Cohen, M.V.: Postconditioning Protects Isolated Hearts Through PI3K Signaling. Presented International Society for Heart Research, May, 2004. J Mol and Cell Cardiol 36: 613, 2004.

218. Garlid, K.D., Costa, A.D., Cohen, M.V., Downey, J.M., and Critz, S.D.: Cyclic GMP and PKG Activate mito K_{ATP} Channels in Isolated Mitochondria. Cardiovascular Journal of South Africa 15 (Suppl 1): S5, 2004.

219. Downey, J.M. The cellular mechanisms of ischeamic and pharmacological preconditioning. Cardiovascular Journal of South Africa (Suppl 1):S3, 2004.

220. Yang, X.-0 'RZQH\ -0 DQG &RKHQ 09 3RVWFRQGLWLRQL
Circulating Blood Factors or Cells but Requires PI3-kinase and Guanylyl Cyclase Activation. Circulation 110: III-168, 2004.

221. Philipp, S., Downey, J.M., and Cohen, M.V.: Postconditioning Must Be Initiated in Less Than 1 Minute Following Reperfusion and Is Dependent on Adenosine Receptors and PI3-Kinase. Circulation 110: III-168, 2004

222. Philipp, S., Yang, X.-M., Willenbrock, R., Downey, J.M., and Cohen, M.V.: Postconditioning Must Be Initiated in Less Than 1 Minute Following Reperfusion and Is Dependent on Adenosine 2b Receptors and PI3-kinase. Zeitshrift für Kardiologie 94 (Suppl 1):V803, 2005.

223. Solenkova, N., Cohen, M.V., and Downey, J.M.: PI3 Kinase Supports the Preconditioned Heart Through a Critical Convalescent Period. Journal of Molecular and Cellular Cardiology 38: 848, 2005.

224. Solenkova, N., Cohen, M.V., and Downey, J.M.: Ischemic Preconditioning Protects the Heart Through Adenosine Receptor Activation During Reperfusion. Journal of Molecular and Cellular Cardiology 38: 848, 2005.

225.

Cardiology 38: 857, 2005.

226. Krahn, T., Albrecht, B., Rosentreter, U., Cohen, M.V., Cui, L., and Downey, J.M.: Adenosine A2b Receptor Agonist Mimics Preconditioning: Characterization of a Selective Adenosine A2b Receptor Agonist in a Rabbit Infarct Model. 2006 Ferrarra Adenosine Symposium.

227. Yang, X.-M., Philipp, S., Davis, A., Downey, J.M., and Cohen, M.V.: PMA Administered Just Before Reperfusion Salvages Ischemic Myocardium by an Adenosine A2b-Dependent Mechanism.Journal of Molecular and Cellular Cardiology 40: 869, 2006.

228. Kuno, A., Critz, S.D., Cohen, M.V., and Downey, J.M.: Nicorandil Opens Mitochondrial KATP Channels Both Directly and Through a NO-PKG-Dependent Pathway. Journal of Molecular and Cellular Cardiology 40: 882, 2006.

229. Philipp, S., Krieg, T., Cui, L., Critz, S.D., Cohen, M.V., and Downey, J.M.: DADLE But Not Bradykinin Activates Src and PI3-Kinase Through the EGF Receptor. Journal of Molecular and Cellular Cardiology 40: 892-893, 2006.

230. Tissier, R., Parker, J.C., Hamanaka, K., Cohen, M.V., and Downey, J.M.: Total Liquid Ventilation Rapidly Cools the Heart to Protect It from Infarction. Journal of Molecular and Cellular Cardiology 40: 906, 2006.

231. Philipp, S., Krieg, T., Cui, L., Critz, S.D., Cohen, M.V., and Downey, J.M.: DADLE But Not Bradykinin Activates Src and PI3-Kinase Through the EGF Receptor. European Heart Journal 27 (Suppl 1):000, 2006.

232. Albrecht B, Krahn T, Philipp S, Rosentreter U, Cohen M, and Downey J. Selective A2b receptor activation mimics postconditioning in a rabbit infarct model. Circulation 114 (Suppl II), II-14-II-15. 2006.

233. Couvreur, N., Ghaleh, B., Bruneval, P., Dubois-Randé, J.-L., Parker, J.C., Cohen, M.V., Downey, J.M., Berdeaux, A., and Tissier, R.: Ultrafast cooling initiated by a short and safe temperature-controlled liquid ventilation abolishes post-ischemic myocardial infarction and contractile dysfunction in chronically instrumented rabbits. Circulation 116 (Suppl II): II-66-II-67, 2007.

234. Krieg, T., Richter, H., Kuno, A., Förster, K., Cohen, M.V., Downey, J.M., and Felix, S.B.: Cardioprotection from GSK- LQKLELWLRQ UHTX3Ikinase and DSE but not DAG, PKC or ERK, Circulation 116 (Suppl II): II-164, 2007.

235. Davis, A., Cohen, M.V., and Downey, J.M.: Brief Exposure to Intracoronary Bradykinin at Reperfusion Limits Infarct Size in Isolated Rabbit Hearts by a Mechanism that Involves Both Free Radical Production and PKC. FASEB Journal 22: 000, 2008.

236. Dost, T., Cohen, M.V., and Downey, J.M.

250. Yang XM, Liu Y, Cui L, Yang X, Liu Y, Tandon N, Kambayash, Downey JM, Cohen MV. Does Blockade of Platelet Aggregation after Stenting for STEMI Protect Against Reperfusion Injury? Circulation 2011 124 A13478

251. Michael V Cohen, Xi-Ming Yang, Lin Cui, Glenn L Wilson, Mikhail Alexeyev, Mark N Gillespie, and James M Downey. Is Mitochondrial DNA Fragmentation a Major Contributor to Necrosis in Myocardial Infarction? Circulation. 2014;130:A12246

Last Updated: Monday, February 19, 2018