
Scholarships

Pediatric To Adult Care Transition (PACT)

T'Shemika Perryman, RN, PACT Coordinator
University of South Alabama
Comprehensive Sickle Cell Center

The mission of the PACT program is to improve

From the Director's Desk

RANK ORDER OF RESPONDENTS' BARRIERS TO OPTIMAL MANAGEMENT OF SICKLE CELL PAIN EPISODES

1. Lack of psychological support from patient's family and medical profession
2. Fear that patient is a drug abuser
3. Reluctance to prescribe opioids
4. Disbelief in patient's report of pain severity
5. Inadequate patient-reported pain assessment tools
6. Adversarial relationship between patient and healthcare provider
7. Lack of access to health care provider
8. Nurse reluctance to administer opioids
9. Differences in age, gender, race, and socioeconomic status between patient and provider
10. Range of analgesics available from institution's formulary and FDA-approved drug list
11. Concern over loss of medical license
12. State regulation of analgesics
13. Patient reluctance to report pain
14. Patient reluctance to take opioids
15. Most sickle cell patients are drug addicted

In the United States, it is estimated that:

- (SCD affects approximately 100,000 people
- (SCD occurs in about 1 in every 365 African-American births
- (American births

(a(thOoc)9 gpmi13t 381:60941(In4e)15 2mit is ess 2mh)04d th)0. NIEIS C2009106n 01E1p-primately] vlt,n theMleE0d, and Ssib sia

(a(thOoc)9 gpmi13t 381:60941(In4e)15 2mient pincisteoghaoa(n)h)S Ifhepommendlt r00(et)SSBtler BK4nh) ICMLainC) riot of silt sileCellAdoma, and BnCristes Reioa(n)05 rhle of the

S(a)10 (t)2 (e)4 (,ylonge)4 -(t)2 (rm fh)-2 (llo)2v4 wt
r pafhom(d nfnearle)2 (yoncl--3.9 -thbirv4 d])]TJ Lbl</.8%)s of
. Ka(t)2 (r J, andKruMs)4 (e)-4 -vrrre av4 gkm(etf)]]TJ T* [of sickleCcellDist(a)10 Ms F
d,evmb(r)]]TJ T* [201t



8PKXGTUKV[QH 6QWVJ \$NCDCCOC
Comprehensive Sickle Cell Center
86\$ 0GFKECN &GPVGT 'TKXG 0&6%
0QDKNG \$/

PAID